



OZ — Flat aluminium scoops

Flat bottom, for scooping from the bottom

Professional scoops · dariorasero® / OZ range

DARIORASERO

dariorasero® — dal 1950



Contents

OZ — Flat aluminium scoops

The dariorasero® / OZ scoop range	3
The line · sizes and technical data	4
1121OZ · 165 ml	5
1126OZ · 350 ml	7
1131OZ · 450 ml	9
1135OZ · 750 ml	11
1180 · 3000 ml	13

The dariorasero® / OZ scoop range

The right material for every use

	Line	Sizes	Capacity (ml)	Material	Finish	HACCP colours	Food contact	Dish-washer	Brand	
FOOD GRADE		Round plastic	6	150–2600	PP	Smooth, antistatic	5	Yes	Yes	dr
		Flat plastic	1	2400	PP	Smooth, antistatic	5	Yes	Yes	dr
		Round aluminium	6	160–2600	Aluminium	Smooth	—	Yes	No	dr
		Flat aluminium	2	750–1500	Aluminium	Smooth	—	Yes	No	dr
		Round stainless 18/8	9	50–950	18/8 stainless (AISI 304)	Smooth	—	Yes	Yes	dr
NON-FOOD		OZ round	4	320–2600	Aluminium	Smooth	—	No	No	OZ
		OZ flat	5	165–3000	Aluminium	Rough	—	No	No	OZ

Each line covers a precise use: polypropylene for everyday food work with HACCP colour coding, aluminium for heavy-duty handling and abrasive materials, stainless steel for environments where hygiene and purity allow no compromise, and the OZ line for technical and industrial use, not intended for contact with food.

OZ — Flat aluminium scoops

The line · sizes and technical data

	1121OZ	1126OZ	1131OZ	1135OZ	1180
Capacity (ml)	165	350	450	750	3000
Length (mm)	210,0	265,0	310,0	350,0	450,0
Length excl. handle (mm)	120,0	170,0	180,0	210,0	370,0
Width (mm)	70,0	100,0	110,0	135,0	285,0
Height (mm)	35,0	45,0	50,0	60,0	130,0
Thickness (mm)	2,0	2,5	2,5	2,5	2,5
Net weight (g)	80	120	210	300	1080
Material	Aluminium				
Finish	Rough				
Food contact	NO (*)				
Service temperature	(-40/+200) °C				
Dishwasher	NO (**)				
Brand	OZ				

(*) Line intended exclusively for technical and industrial use: not suitable for contact with food.

(**) Hand wash with water and neutral detergent.

Flat aluminium scoops from the OZ by dariorasero® line, imported by dariorasero® (Euro Satip Srl), a company with an ISO 9001:2015 certified quality management system. The flat shape is designed for scooping from the bottom: it collects the material left at the bottom of sacks, crates, bins and shallow containers, where a round scoop cannot reach. Not intended for food contact.

Applications

Construction and building sites for cement, sand, aggregates and mortar; industry and foundries for technical powders and granules; agriculture and animal feed for seed, feed and fertiliser; hardware and warehouses for small parts and bulk goods. The lowered front edge slides under the product and helps it flow.

The sizes

165 ml (1121OZ) — the most compact, for precision scooping. 350 ml (1126OZ) — small amounts. 450 ml (1131OZ) — the most versatile. 750 ml (1135OZ) — the greatest capacity of the flat line. 3000 ml (1180) — the industrial shovel with a Ø 36 mm tubular socket for a shaft, a central reinforcing rib and a wide, deep bowl, for large volumes while standing upright.

Construction and cleaning

The aluminium body has the sturdy rough finish typical of the OZ line, and a plain handle that ensures a firm, direct grip. The 1180 shovel is in pressed aluminium with a smooth surface, made in Germany. Hand washing with water and neutral detergent is recommended.

OZ — Flat aluminium scoop 165 ml

SKU 1121OZ · Flat bottom, for scooping from the bottom



OZ line flat 165 ml aluminium scoop, for precise scooping from the bottom of sacks and low containers. Light, sturdy, abrasion resistant. Technical and industrial line: not suitable for food contact.

1. The most compact in the flat OZ line

165 ml: for accurate scooping of small quantities of sands, aggregates, additives, seeds and small parts.

2. Flat bottom

It collects and levels from surfaces and container bottoms: precise technical dosing with no residue. The lowered front edge slides under the product.

3. Rough industrial finish

A pared-back line, without bright finishing, for use on site, in the warehouse and in the workshop. A plain handle for a firm, direct grip.

4. Non-food line

Intended exclusively for technical and industrial use: not suitable for contact with food. Hand wash with neutral detergent.

SKU 1121OZ

Series	OZ — Flat aluminium scoops
Capacity	165 ml
Length	210,0 mm
Length excl. handle	120,0 mm
Width	70,0 mm
Height	35,0 mm
Thickness	2,0 mm
Net weight	80 g
Material	Aluminium
Food contact	NO (*)
Dishwasher	NO (**)

(*) Technical and industrial line: not suitable for contact with food. (**) Hand wash with neutral detergent.

SECTORS OF USE

Construction · Building sites · Industry · Foundries · Agriculture · Hardware stores · Warehouses

OZ — Flat aluminium scoop 165 ml

Technical data sheet

1121OZ · Flat bottom, for scooping from the bottom

dariorasero SKU	1121OZ
Series	OZ — Flat aluminium scoops

Capacity and dimensions

Capacity	165 ml
Length	210,0 mm
Length excl. handle	120,0 mm
Width	70,0 mm
Height	35,0 mm
Thickness	2,0 mm
Net weight	80 g

Material and compliance

Material	Aluminium
Finish	Rough
Food contact	NO (*)
Service temperature	(-40/+200) °C
Dishwasher	NO (**)
Brand	OZ

(*) Line intended exclusively for technical and industrial use: not suitable for contact with food.

(**) Hand wash with water and neutral detergent.

OZ — Flat aluminium scoop 350 ml

SKU 1126OZ · Flat bottom, for scooping from the bottom



OZ line flat 350 ml aluminium scoop, for scooping from the bottom of sacks, crates and low containers. Light, sturdy, abrasion resistant. Technical and industrial line: not suitable for food contact.

1. Compact, for small quantities

350 ml: for accurate scooping of abrasive and granular materials in construction, industry and agriculture.

2. Flat bottom

It collects and levels from surfaces and container bottoms: precise technical dosing with no residue. The lowered front edge slides under the product.

3. Rough industrial finish

A pared-back line, without bright finishing, for use on site, in the warehouse and in the workshop. A plain handle for a firm, direct grip.

4. Non-food line

Intended exclusively for technical and industrial use: not suitable for contact with food. Hand wash with neutral detergent.

SKU 1126OZ

Series	OZ — Flat aluminium scoops
Capacity	350 ml
Length	265,0 mm
Length excl. handle	170,0 mm
Width	100,0 mm
Height	45,0 mm
Thickness	2,5 mm
Net weight	120 g
Material	Aluminium
Food contact	NO (*)
Dishwasher	NO (**)

(*) Technical and industrial line: not suitable for contact with food. (**) Hand wash with neutral detergent.

SECTORS OF USE

Construction · Building sites · Industry · Foundries · Agriculture · Hardware stores · Warehouses

OZ — Flat aluminium scoop 350 ml

Technical data sheet

1126OZ · Flat bottom, for scooping from the bottom

dariorasero SKU	1126OZ
Series	OZ — Flat aluminium scoops

Capacity and dimensions

Capacity	350 ml
Length	265,0 mm
Length excl. handle	170,0 mm
Width	100,0 mm
Height	45,0 mm
Thickness	2,5 mm
Net weight	120 g

Material and compliance

Material	Aluminium
Finish	Rough
Food contact	NO (*)
Service temperature	(-40/+200) °C
Dishwasher	NO (**)
Brand	OZ

(*) Line intended exclusively for technical and industrial use: not suitable for contact with food.

(**) Hand wash with water and neutral detergent.

OZ — Flat aluminium scoop 450 ml

SKU 1131OZ · Flat bottom, for scooping from the bottom



OZ line flat 450 ml aluminium scoop, for recovering the residue from the bottom, even in intensive use. Light, sturdy, abrasion resistant. Technical and industrial line: not suitable for food contact.

1. Easy to handle, for intensive use

450 ml: recovers abrasive and granular materials, hard ones included, from sacks, crates and low containers.

2. Flat bottom

It collects and levels from surfaces and container bottoms: precise technical dosing with no residue. The lowered front edge slides under the product.

3. Rough industrial finish

A pared-back line, without bright finishing, for use on site, in the warehouse and in the workshop. A plain handle for a firm, direct grip.

4. Non-food line

Intended exclusively for technical and industrial use: not suitable for contact with food. Hand wash with neutral detergent.

SKU 1131OZ

Series	OZ — Flat aluminium scoops
Capacity	450 ml
Length	310,0 mm
Length excl. handle	180,0 mm
Width	110,0 mm
Height	50,0 mm
Thickness	2,5 mm
Net weight	210 g
Material	Aluminium
Food contact	NO (*)
Dishwasher	NO (**)

(*) Technical and industrial line: not suitable for contact with food. (**) Hand wash with neutral detergent.

SECTORS OF USE

Construction · Building sites · Industry · Foundries · Agriculture · Hardware stores · Warehouses

OZ — Flat aluminium scoop 450 ml

Technical data sheet

1131OZ · Flat bottom, for scooping from the bottom

dariorasero SKU	1131OZ
Series	OZ — Flat aluminium scoops

Capacity and dimensions

Capacity	450 ml
Length	310,0 mm
Length excl. handle	180,0 mm
Width	110,0 mm
Height	50,0 mm
Thickness	2,5 mm
Net weight	210 g

Material and compliance

Material	Aluminium
Finish	Rough
Food contact	NO (*)
Service temperature	(-40/+200) °C
Dishwasher	NO (**)
Brand	OZ

(*) Line intended exclusively for technical and industrial use: not suitable for contact with food.

(**) Hand wash with water and neutral detergent.

OZ — Flat aluminium scoop 750 ml

SKU 1135OZ · Flat bottom, for scooping from the bottom



OZ line flat 750 ml aluminium scoop, for intensive, heavy-duty use. Light, sturdy, abrasion resistant. Technical and industrial line: not suitable for food contact.

1. The largest flat scoop in the OZ line

750 ml: it works with cement, sands, aggregates and mortars without wearing.

2. Flat bottom

It collects and levels from surfaces and container bottoms: precise technical dosing with no residue. The lowered front edge slides under the product.

3. Rough industrial finish

A pared-back line, without bright finishing, for use on site, in the warehouse and in the workshop. A plain handle for a firm, direct grip.

4. Non-food line

Intended exclusively for technical and industrial use: not suitable for contact with food. Hand wash with neutral detergent.

SKU 1135OZ

Series	OZ — Flat aluminium scoops
Capacity	750 ml
Length	350,0 mm
Length excl. handle	210,0 mm
Width	135,0 mm
Height	60,0 mm
Thickness	2,5 mm
Net weight	300 g
Material	Aluminium
Food contact	NO (*)
Dishwasher	NO (**)

(*) Technical and industrial line: not suitable for contact with food. (**) Hand wash with neutral detergent.

SECTORS OF USE

Construction · Building sites · Industry · Foundries · Agriculture · Hardware stores · Warehouses

OZ — Flat aluminium scoop 750 ml

Technical data sheet

1135OZ · Flat bottom, for scooping from the bottom

dariorasero SKU	1135OZ
Series	OZ — Flat aluminium scoops

Capacity and dimensions

Capacity	750 ml
Length	350,0 mm
Length excl. handle	210,0 mm
Width	135,0 mm
Height	60,0 mm
Thickness	2,5 mm
Net weight	300 g

Material and compliance

Material	Aluminium
Finish	Rough
Food contact	NO (*)
Service temperature	(-40/+200) °C
Dishwasher	NO (**)
Brand	OZ

(*) Line intended exclusively for technical and industrial use: not suitable for contact with food.

(**) Hand wash with water and neutral detergent.

OZ — Industrial aluminium shovel 3000 ml

SKU 1180 · Ø 36 mm handle socket · aluminium · made in Germany



Handling large volumes while standing upright, on building sites, in warehouses and industry. Fits a Ø 36 mm wooden or metal handle, not included. Technical and industrial line: not suitable for food contact.

1. 3000 ml shovel

Snow, ice, salt, sand, powders and granules: large quantities with every movement, fewer cycles and shorter times.

2. Wide bowl and reinforcing rib

The deep bowl carries 3 litres per movement; the central rib stiffens the bottom under load.

3. Smooth pressed aluminium surface

The material slides off without sticking and the shovel cleans quickly; pressed aluminium with a smooth surface.

4. Ø 36 mm tubular socket

Supplied without handle: the socket with through hole takes Ø 36 mm wooden or metal handles.

SKU 1180

Capacity	3000 ml
Length	450,0 mm
Length excl. handle	370,0 mm
Width	285,0 mm
Height	130,0 mm
Thickness	2,5 mm
Net weight	1080 g
Material	Aluminium
Food contact	NO (*)
Dishwasher	NO (**)
Origin	Germany

(*) Technical and industrial line: not suitable for contact with food. (**) Hand wash with neutral detergent.

SECTORS OF USE

Construction · Building sites · Industry · Foundries · Agriculture · Hardware stores · Warehouses

OZ — Industrial aluminium shovel 3000 ml

Technical data sheet

1180 · Ø 36 mm handle socket · aluminium · made in Germany

dariorasero SKU	1180
Series	OZ — Industrial aluminium shovel

Capacity and dimensions

Capacity	3000 ml
Length	450,0 mm
Length excl. handle	370,0 mm
Width	285,0 mm
Height	130,0 mm
Thickness	2,5 mm
Net weight	1080 g

Material and compliance

Material	Aluminium
Finish	Smooth
Food contact	NO (*)
Service temperature	(-40/+200) °C
Dishwasher	NO (**)
Handle socket	Ø 36 mm with through hole
Handle	Not included
Origin	Germany
Brand	OZ

(*) Line intended exclusively for technical and industrial use: not suitable for contact with food.

(**) Hand wash with water and neutral detergent.

The 1180 shovel is supplied without handle: Ø 36 mm tubular socket with through hole.