




Bonzer® Unigrip 70


One thumb press, a consistent portion

DAVID ROSE



Bonzer® Unigrip 70

Thumb-operated professional portioner, 70 portions per litre



Bonzer® Unigrip professional portioner. Thumb operated, with a single light movement: fast portioning of soft, creamy products such as mayonnaise, sauces, fillings, mashed potato, rice and salads.

1. Thumb-press operation

The mechanism is triggered by a single, light movement of the thumb: fast and low-fatigue even in high-frequency use.

2. Food grade stainless steel bowl

Fast, clean release on every serving; built with no springs and no food traps.

3. HACCP hygiene, dishwasher safe

Simple, thorough cleaning in line with HACCP standards. Dishwasher safe.

4. Colour coding

Each handle colour identifies the size: fast selection in service, consistent portions and less waste.

SKU PTU070

Manufacturer code	10123-17
EAN	5023476039201
dariosero SKU	PTU070
Portions per litre	70
Bowl capacity	14 ml
Handle colour	Plum
Weight	90 g
Dimensions (mm)	30 x 60 x 195
Bowl material	Food grade stainless steel
Operation	Thumb press

Bonzer® Unigrip · size 70 · plum handle · thumb-press operation.

SECTORS OF USE

Food service · Delicatessens · Pastry shops · Canteens · Catering · Professional kitchens

Bonzer® Unigrip 70

Technical data sheet

Unigrip 70 — plum handle

dariorasero SKU	PTU070
Manufacturer code	10123-17
EAN	5023476039201
Line	Bonzer Unigrip
Operation	Thumb press
Size	70
Handle colour	Plum
Portions per litre	70

Bowl and performance

Bowl capacity	14 ml (0,49 fl oz)
Bowl material	Food grade stainless steel
Construction	No springs, no food traps

Dimensions and weight

Dimensions H×W×D	30 × 60 × 195 mm
Net weight	90 g

Hygiene and compliance

Dishwasher	Yes
Food contact	Yes
Origin	United Kingdom (Uckfield)

Packaging

Pack H×W×D	45 × 80 × 290 mm
Gross weight	134 g
Packaging	Recyclable cardboard

dariorasero® · Bonzer professional portioners · Mitchell & Cooper Ltd, Uckfield (UK). Nominal dimensions; production tolerances may apply.